

**Safety Data Sheet**  
**Red-I EP Super Prem Grease #2**



**Product Number:**  
**Revision Date:**

**50042-16**  
**07/27/2017**

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- 1.1. Product identifier** Red-I EP Super Prem Grease #2  
Product Code 50042
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**  
Intended use See Technical Data Sheet.
- 1.3. Details of the supplier of the safety data sheet**
- Manufacturer** LUBRICATING SPECIALTIES  
COMPANY  
8015 PARAMOUNT BLVD.  
PICO RIVERA, CA 90660
- Telephone No.** (562) 776-4000
- 1.4. Emergency telephone number**  
(800) 424-9300 24hr

**SECTION 2: Hazards identification**

- 2.1. Classification of the substance or mixture**  
Skin Irrit. 2;H315 Causes skin irritation

## 2.2. Label elements

Using the Toxicity Data listed in section 11 & 12 the product is labeled as follows.



### Warning

H315 Causes skin irritation

P280 Wear protective gloves / eye protection / face protection.

P302+352 IF ON SKIN: Wash with soap and water

P362 Take off contaminated clothing and wash before reuse.

<b>HMIS</b>	<b>Health:</b>	2	<b>NFPA</b>	<b>Health:</b>	2
	<b>Fire:</b>	1		<b>Fire:</b>	1
	<b>Physical Hazards:</b>	0		<b>Reactivity:</b>	0
	<b>PPE:</b>	C		<b>Special Hazards:</b>	--

## 2.3. Other hazards

This product contains no PBT/vPvB chemicals.

## SECTION 3: Composition/information on ingredients

Ingredient/Chemical Designations	Weight %	EC No. 1272/2008 / GHS Classification
Distillate (petroleum) hydrotreated heavy naphthenic CAS Number: 0064742-52-5	<80	Not Classified
Hydroxyl Containing Saturated Fatty Acids CAS Number: Proprietary or N/A	<10	Not Classified
Butene, polymer with 2-methyl-1-propene CAS Number: 0009044-17-1	<5	Not Classified
Proprietary additive CAS Number: Proprietary or N/A	<3	Not Classified
Decanedioic Acid CAS Number: 0000111-20-6	<3	Not Classified

Lithium hydroxide monohydrate CAS Number: 0001310-66-3	<3	Skin Corr. 1;H314 STOT SE 3;H335
Petroleum distillates, solvent-refined light paraffinic CAS Number: 0064741-89-5	<1	Not Classified
PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFIN CAS Number: 0064742-54-7	<1	Asp. Tox. 1;H304
Distillates (petroleum), solvent-dewaxed heavy paraffinic CAS Number: 0064742-65-0	<1	Not Classified

\*The full texts of the phrases are shown in Section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General

In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

#### Inhalation

If inhaled, remove person to fresh air and keep comfortable for breathing. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen. If unconscious, place in the recovery position and seek medical attention immediately.

#### Skin

In case of contact, immediately rinse skin with plenty of water. Remove contaminated clothing and shoes. If skin irritation occurs, seek medical attention. Launder contaminated clothing before reuse.

#### Eye

In case of contact, immediately rinse eyes with plenty of fresh, clean water for at least 15 minutes. Remove contact lenses if present and continue rinsing. Seek medical attention immediately.

#### Ingestion

Do not induce vomiting. Call a physician or emergency medical facility immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

No data available

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Fire-fighting measures**

### **5.1. Extinguishing media**

Use Carbon dioxide (CO<sub>2</sub>), dry chemical, or foam to extinguish flames.

### **5.2. Special hazards arising from the substance or mixture**

Hazardous Decomposition Products: May form CO and CO<sub>2</sub>.

### **5.3. Advice for fire-fighters**

Self-contained full-face positive pressure breathing apparatus (SCBA) should be used. Water can be used to cool and protect exposed material. Do not allow runoff water and contaminants from fire fighting to enter drains or water courses.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Avoid contact with spilled material. Use suitable personal protective equipment. Ventilate area if spilled in confined space or other poorly ventilated areas. Evacuate personnel to safe areas. Keep unnecessary personnel away.

### **6.2. Environmental precautions**

Prevent entry into sewers and waterways. Report spills as required to appropriate authorities in accordance with all applicable regulations.

### **6.3. Methods and material for containment and cleaning up**

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth, vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations. (See section 13).

Clean, preferably with a detergent. Do not use solvents.

Do not allow spills to enter drains or water courses.

If drains, sewers, streams or lakes are contaminated, inform the local water company immediately. In the case of contamination of rivers, streams or lakes the Environmental Protection Agency should also be informed.

Dispose of in accordance with all federal, state, and local environmental regulations.

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

## Handling

Avoid skin and eye contact. Wash thoroughly after handling. Avoid breathing vapor. Use with adequate ventilation.

## In Storage

Store in a dry location at room temperature.

Keep this container and vapors from the container away from heat and flame. Keep container closed and maintain all original markings and labels.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep away from strong oxidizing and reducing agents.

CAUTION!!! Do not use cutting or welding torches on drums, even when empty. Do not reuse container. Containers, even those that have been emptied will retain product residue and vapors. Always obey hazard warnings and handle empty containers as if they were full.

### 7.3. Specific end use(s)

There are no exposure scenarios, see details in section 1.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

The following occupational exposure limits have been established.

CAS Number	Ingredient	Source	Value
0000111-20-6	Decanedioic Acid	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
0001310-66-3	Lithium hydroxide monohydrate	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
0009044-17-1	Butene, polymer with 2-methyl-1-propene	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
0064741-89-5	Petroleum distillates, solvent-refined light paraffinic	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
0064742-52-5	Distillate (petroleum) hydrotreated	OSHA	No Established Limit

	heavy naphthenic	ACGIH	No Established Limit
		NIOSH	No Established Limit
0064742-54-7	PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFIN	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
0064742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
Proprietary or N/A	Hydroxyl Containing Saturated Fatty Acids	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
Proprietary or N/A	Proprietary additive	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit

Contains mineral oil. The exposure limits for oil mist are 5 mg/m3 OSHA PEL and 10 mg/m3 ACGIH.

#### Carcinogen Data

CAS No.	Ingredient	Source	Value
0000111-20-6	Decanedioic Acid	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
0001310-66-3	Lithium hydroxide monohydrate	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
0009044-17-1	Butene, polymer with 2-methyl-1-propene	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
0064741-89-5	Petroleum distillates, solvent-refined light paraffinic	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
0064742-52-5	Distillate (petroleum) hydrotreated heavy naphthenic	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
0064742-54-7	PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFIN	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
0064742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
Proprietary or N/A	Hydroxyl Containing Saturated Fatty Acids	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;

Proprietary or N/A	Proprietary additive	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;

**DNEL/PNEC values**

No Data Available

**8.2. Exposure controls**

No special requirements under ordinary conditions of use and with adequate ventilation.

**Eye/face protection**

Wear safety glasses. If potential for splash or mist exists, wear chemical goggles or face shield.

**Skin protection**

Wear chemical resistant gloves. Gloves should be inspected before each use and discarded if they show tears, pinholes, or signs of wear.

**Other**

Gloves, overalls, apron, boots, or other suitable protective garments should be worn to minimize contact based on the task being performed.

**Respiratory protection**

Use NIOSH/OSHA approved respirator where high vapor concentrations are present.

**Thermal hazards**

No Data Available



**SECTION 9: Physical and chemical properties**

**Appearance**

RED GREASE

**Odor**

Petroleum Odor

**Odor threshold**

Not Determined

**pH**

Not Measured

<b>Melting point / freezing point (C)</b>	Not Determined
<b>Initial boiling point and boiling range (C)</b>	Not Measured
<b>Flash point (C)</b>	>200
<b>Evaporation rate (H20 = 1)</b>	Not Determined
<b>Flammability (solid, gas)</b>	Not Applicable
<b>Upper/lower flammability or explosive limits</b>	
<b>Lower Explosive Limit:</b>	Not Determined
<b>Upper Explosive Limit:</b>	Not Determined
<b>Vapor pressure (Pa)</b>	Not Determined
<b>Vapor density</b>	Heavier than air.
<b>Relative density</b>	0.92
<b>Solubility(ies)</b>	negligible
<b>Partition coefficient n-octanol/water (Log Kow)</b>	Not Determined
<b>Auto-ignition temperature (C)</b>	Not Determined
<b>Decomposition temperature</b>	Not Determined
<b>Viscosity (cSt)</b>	
<b>@ 100 C</b>	Not Measured
<b>@ 40 C</b>	Not Measured
<b>Pour point temperature (C)</b>	Not Determined
<b>Volatile Organic Compounds</b>	nil
<b>SADT</b>	Not Determined

The data listed above are typical physical and chemical properties that do not constitute product specification.

## 9.2. Other information

DMSO extract by IP346: Less than 3.0 wt % (mineral oil component only)

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available

### 10.2. Chemical stability

Material is normally stable at ambient temperature and pressure.

### 10.3. Possibility of hazardous reactions

May react with: oxidizing agents.

### 10.4. Conditions to avoid

High temperature, sparks, and open flames.

### 10.5. Incompatible materials



Keep away from strong oxidizing and reducing agents.

### 10.6. Hazardous decomposition products

Hazardous Decomposition Products: May form CO and CO<sub>2</sub>.

## SECTION 11: Toxicological information

### Acute toxicity

The preparation has been assessed using the Acute Toxicity Data listed below, and classified for toxicological hazards accordingly. See section 2 for details.

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation vapor LD50, mg/L/4hr
Butene, polymer with 2-methyl-1-propene - (0009044-17-1)	Not Available	Not Available	Not Available
Decanedioic Acid - (0000111-20-6)	>5,000, Rat	6,000.00, Rabbit	Not Available
Distillate (petroleum) hydrotreated heavy naphthenic - (0064742-52-5)	>5,000, Rat	5,000.00, Rabbit	Not Available
Distillates (petroleum), solvent-dewaxed heavy paraffinic - (0064742-65-0)	>2,000, Rat	>2,000, Rabbit	Not Available
Hydroxyl Containing Saturated Fatty Acids - (Proprietary or N/A)	Not Available	Not Available	Not Available
Lithium hydroxide monohydrate - (0001310-66-3)	Not Available	Not Available	Not Available
PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFIN - (0064742-54-7)	>5,000, Rat	>5,000, Rabbit	Not Available
Petroleum distillates, solvent-refined light paraffinic - (0064741-89-5)	>2,000, Rat	>2,000, Rabbit	Not Available
Proprietary additive - (Proprietary or N/A)	Not Available	Not Available	Not Available

Classification	Category	Hazard Description
Acute toxicity (oral)	Not Classified	Not Applicable
Acute toxicity (dermal)	Not Classified	Not Applicable
Acute toxicity (inhalation)	Not Classified	Not Applicable
Skin corrosion/irritation	2	Causes skin irritation
Serious eye damage/irritation	Not Classified	Not Applicable

Respiratory sensitization	Not Classified	Not Applicable
Skin sensitization	Not Classified	Not Applicable
Germ cell mutagenicity	Not Classified	Not Applicable
Carcinogenicity	Not Classified	Not Applicable
Reproductive toxicity	Not Classified	Not Applicable
STOT-single exposure	Not Classified	Not Applicable
STOT-repeated exposure	Not Classified	Not Applicable
Aspiration hazard	Not Classified	Not Applicable

## SECTION 12: Ecological information

### 12.1. Toxicity

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and is not classified as dangerous for the environment

### Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Distillate (petroleum) hydrotreated heavy naphthenic - (0064742-52-5)	5,000.00, Oncorhynchus mykiss	1,000.00, Daphnia magna	1,000.00 (96 hr), Scenedesmus subspicatus
Hydroxyl Containing Saturated Fatty Acids - (Proprietary or N/A)	Not Available	Not Available	Not Available
Butene, polymer with 2-methyl-1-propene - (0009044-17-1)	Not Available	Not Available	Not Available
Proprietary additive - (Proprietary or N/A)	Not Available	Not Available	Not Available
Decanedioic Acid - (0000111-20-6)	Not Available	Not Available	Not Available
Lithium hydroxide monohydrate - (0001310-66-3)	Not Available	Not Available	Not Available
Petroleum distillates, solvent-refined light paraffinic - (0064741-89-5)	Not Available	Not Available	Not Available
PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFIN - (0064742-54-7)	Not Available	Not Available	Not Available
Distillates (petroleum), solvent-	5,000.00, Oncorhynchus	1,000.00, Daphnia	1,000.00 (96 hr), Scenedesmus

dewaxed heavy paraffinic -  
(0064742-65-0)

mykiss

magna

subspicatus

### 12.2. Persistence and degradability

There is no data available on the preparation itself.

### 12.3. Bioaccumulative potential

Not Measured

### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

### 12.6. Other adverse effects

No data available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Consult federal, state and local regulations regarding disposal methods, recycle used oil. Do not contaminate used oil with solvents or other chemicals.

## SECTION 14: Transport information

14.1. UN number

Not applicable

14.2. UN proper shipping name

Corrosive Liquid, n.o.s.

14.3. Transport hazard class(es)

US DOT Label

Not regulated

ADR/RID

Not regulated

IMDG Not regulated

Sub Class Not applicable

ICAO/IATA

Not regulated



#### 14.4. Packing group

Not applicable

#### 14.5. Environmental hazards

**ADR/RID** Environmentally Hazardous: No - Not regulated

**IMDG** Marine Pollutant: No - Not regulated

#### 14.6. Special precautions for user

No further information

#### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not Applicable

The above transport information is provided to assist in the proper classification of this product and may not be suitable for all shipping conditions. Shipping description may vary based on mode of transport, quantities, temperature of the material, package size, and/or origin and destination. For information specific to your situation, consult your company's Hazardous Materials/Dangerous Goods expert.

### **SECTION 15: Regulatory information**

#### **National Legislation**

United States:

The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

All ingredients of this product are listed on the TSCA (Toxic Substance Control Act) Inventory or are not required to be listed on the TSCA Inventory.

**SARA 311/312 (>0.1%):** Not applicable

**SARA 313 (>0.1%):** Not applicable

**CERCLA (>0.1%):** Not applicable

#### **Inventory - Canada - Non-Domestic Substances List (NDSL):**

2-Naphthalenol, 1-[[4-(phenylazo)phenyl]azo]-, ar-heptyl ar',ar''-me derivatives

#### **California Proposition 65 Cancer:**

4-methylpentan-2-one

Cumene

Ethyl benzene

Ethyl acrylate

Naphthalene

**California Proposition 65**

**Developmental:**

4-methylpentan-2-one

**California Proposition 65 Female** Not applicable

**Reproductive:**

**California Proposition 65 Male** Not applicable

**Reproductive:**

**Inventory - Australia - Inventory of Chemical Substances (AICS):**

Decanedioic Acid

Distillate (petroleum) hydrotreated heavy naphthenic

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Lithium hydroxide monohydrate

Olefin Sulfide

PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFIN

Petroleum distillates, solvent-refined light paraffinic

Phosphoric acid esters, amine salt

**Inventory - Japan Existing and New Chemical Substances (ENCS):**

Decanedioic Acid (2-878)

Distillate (petroleum) hydrotreated heavy naphthenic ()

Distillates (petroleum), solvent-dewaxed heavy paraffinic (9-1702)

PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFIN ()

Petroleum distillates, solvent-refined light paraffinic (9-1700)

**Korean Existing Chemicals Inventory:**

Decanedioic Acid

Distillate (petroleum) hydrotreated heavy naphthenic

Distillates (petroleum), solvent-dewaxed heavy paraffinic

PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFIN

Petroleum distillates, solvent-refined light paraffinic

**Inventory of Existing Chemical Substances in China:**

Olefin Sulfide

PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFIN

Phosphoric acid esters, amine salt

**Philippines Inventory of  
Chemicals and Chemical  
Substances (PICCS) :**

Butene, polymer with 2-methyl-1-propene

Decanedioic Acid

Distillate (petroleum) hydrotreated heavy naphthenic

Distillates (petroleum), solvent-dewaxed heavy paraffinic

Lithium hydroxide monohydrate

Olefin Sulfide

PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFIN

Petroleum distillates, solvent-refined light paraffinic

Phosphoric acid esters, amine salt

**Taiwan List of Toxic Chemical  
Substances regulated under  
Toxic Chemical Substances  
Control Act :** Not applicable

**EU REACH: Annex XVII,  
Dangerous Substances and  
Preparations:**

Distillate (petroleum) hydrotreated heavy naphthenic

Distillates (petroleum), solvent-dewaxed heavy paraffinic

PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFIN

Petroleum distillates, solvent-refined light paraffinic

**Inventory - European Union -  
European Inventory of Existing  
Commercial Chemical  
Substances (EINECS):**

Decanedioic Acid (203-845-5)

Distillate (petroleum) hydrotreated heavy naphthenic (265-155-0)

Distillates (petroleum), solvent-dewaxed heavy paraffinic (265-169-7)

Olefin Sulfide ()

PETROLEUM DISTILLATES, HYDROTREATED HEAVY PARAFFIN (265-157-1)

Petroleum distillates, solvent-refined light paraffinic (265-091-3)

Phosphoric acid esters, amine salt ()

**EU List of Notified Chemical** Not applicable

## Substances (ELINCS):

Risk Phrases  
Not Classified.

### SECTION 16: Other information

This information has been compiled from sources considered to be dependable and is accurate to the best of Lubricating Specialties Company knowledge. Lubricating Specialties Company makes no warranty whatsoever, expressed or implied, of MERCHANTABILITY OR FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the results to be obtained from the use thereof. Lubricating Specialties Company assumes no responsibility for injury to recipient or third persons, or for any damage to any property and recipient assumes all such risks.

The full text of the phrases appearing in section 3 is:

H304 May be fatal if swallowed and enters airways

H314 Causes severe skin burns and eye damage

H335 May cause respiratory irritation

End of document

