MSDS Number: **A2705** \* \* \* \* \* *Effective Date: 02/03/09* \* \* \* \* \*

Supercedes: 05/17/07



From: Mallinckrodt Baker, Inc. 222 Red School Lane Phillipsburg, NJ 08865



24 Hour Emergency Telephone: 908-859-2151

CHEMTREC: 1-800-424-9300

National Response in Canada CANUTEC: 613-996-6666

Outside U.S. And Canada Chemtrec: 703-527-3887

NOTE: CHEMTREC, CANUTEC and National Response Center emergency numbers to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure or accident involving chemicals.

All non-emergency questions should be directed to Customer Service (1-800-582-2537) for assistance.

# ALUMINUM METAL (WIRE, FOIL, SHOT)

# 1. Product Identification

Synonyms: Aluminum wire; Aluminum foil; Aluminum shot; Aluminum uncrated

nonpyrophoric

**CAS No.:** 7429-90-5

Molecular Weight: 26.98 Chemical Formula: Al Product Codes: 0449, 0456

# 2. Composition/Information on Ingredients

Ingredient Hazardous	CAS No	Percent	Percent		
Aluminum Metal	7429-90-5	95 - 100%			
Voc					

# 3. Hazards Identification

### **Emergency Overview**

\_\_\_\_\_

As part of good industrial and personal hygiene and safety procedure, avoid all unnecessary exposure to the chemical substance and ensure prompt removal from skin, eyes and clothing.

**SAF-T-DATA**<sup>(tm)</sup> Ratings (Provided here for your convenience)

\_\_\_\_\_

---

Health Rating: 0 - None

Flammability Rating: 0 - None Reactivity Rating: 1 - Slight Contact Rating: 0 - None

Lab Protective Equip: GOGGLES; LAB COAT; PROPER GLOVES

Storage Color Code: Green (General Storage)

-----

---

#### **Potential Health Effects**

-----

#### **Inhalation:**

Not expected to be a health hazard.

#### **Ingestion:**

Not expected to be a health hazard.

#### **Skin Contact:**

No adverse effects expected.

### **Eye Contact:**

No adverse effects expected.

### **Chronic Exposure:**

No adverse effects expected.

### **Aggravation of Pre-existing Conditions:**

No adverse health effects expected.

### 4. First Aid Measures

#### **Inhalation:**

Not expected to require first aid measures.

### **Ingestion:**

Not expected to require first aid measures.

### **Skin Contact:**

Not expected to require first aid measures.

### **Eye Contact:**

Not expected to require first aid measures.

# 5. Fire Fighting Measures

#### Fire:

Not considered to be a fire hazard.

### **Explosion:**

Not considered to be an explosion hazard.

### **Fire Extinguishing Media:**

Use any means suitable for extinguishing surrounding fire.

### **Special Information:**

Use protective clothing and breathing equipment appropriate for the surrounding fire.

### 6. Accidental Release Measures

Sweep, scoop or pick up spilled material. Package for reclamation or recovery. Package unreclaimable material for disposal in an approved waste disposal facility.

# 7. Handling and Storage

Keep in a tightly closed container, stored in a cool, dry, ventilated area. Protect against physical damage. Isolate from incompatible substances. Containers of this material may be hazardous when empty since they retain product residues (dust, solids); observe all warnings and precautions listed for the product.

# 8. Exposure Controls/Personal Protection

### **Airborne Exposure Limits:**

-OSHA Permissible Exposure Limit (PEL):

15 mg/m3 (TWA) total dust and 5 mg/m3 (TWA)

respirable fraction for Aluminum metal as Al.

-ACGIH Threshold Limit Value (TLV):

1 mg/m3 respirable fraction (TWA), Aluminum metal and Insoluble compounds, A4.

## **Ventilation System:**

In general, dilution ventilation is a satisfactory health hazard control for this substance. However, if conditions of use create discomfort to the worker, a local exhaust system should be considered.

## **Personal Respirators (NIOSH Approved):**

Not expected to require personal respirator usage.

#### **Skin Protection:**

Wear protective gloves and clean body-covering clothing.

### **Eve Protection:**

Safety glasses.

# 9. Physical and Chemical Properties

### **Appearance:**

Bright, silver-white metal.

Odor:

Odorless.

#### **Solubility:**

Insoluble in water.

#### **Density:**

2.70

### pH:

No information found.

% Volatiles by volume @ 21C (70F):

0

#### **Boiling Point:**

2327C (4221F)

#### **Melting Point:**

660C (1220F)

### Vapor Density (Air=1):

No information found.

### **Vapor Pressure (mm Hg):**

1 @ 1284C (2343F)

### **Evaporation Rate (BuAc=1):**

No information found.

# 10. Stability and Reactivity

### **Stability:**

Stable under ordinary conditions of use and storage.

### **Hazardous Decomposition Products:**

Toxic metal fumes may form when heated to decomposition.

### **Hazardous Polymerization:**

Will not occur.

### **Incompatibilities:**

Mercury, halocarbons, halogens, water (with bulk aluminum powder) strong oxidizing agents, some acids, bases and many other materials.

### **Conditions to Avoid:**

Incompatibles.

# 11. Toxicological Information

No LD50/LC50 information found relating to normal routes of occupational exposure.

\Cancer Lists\			
- Ingredient	NTP Known	Carcinogen Anticipated	IARC
Category			
- Aluminum Metal (7429-90-5)	No	No	None

# 12. Ecological Information

### **Environmental Fate:**

No information found.

### **Environmental Toxicity:**

No information found.

# 13. Disposal Considerations

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

# 14. Transport Information

Not regulated.

# 15. Regulatory Information

\Chemical Inventory Status - Part	1\					
Ingredient Australia		TSCA	EC	Japan		
Aluminum Metal (7429-90-5)		Yes	Yes	No	Yes	
\Chemical Inventory Status - Part	2\					
			Ca	anada		
Ingredient		Korea			Phil.	
Aluminum Metal (7429-90-5)		Yes			Yes	
\Federal, State & International Regulations - Part 1\						
	-SARA	302-		SARA	313	
Ingredient	RQ	TPQ	Lis	st Chem	ical	
Catg.						
Aluminum Metal (7429-90-5)	No	No	Yes	3	No	
\Federal, State & International Regulations - Part 2\						
			-RCRA	TS	CA-	
Ingredient	CERCL	A		3 8 (	d)	
Aluminum Metal (7429-90-5)	No	_	No		)	
Chemical Weapons Convention: No TSCA 12	2(b): 1	No	CDTA	: No		

SARA 311/312: Acute: No Chronic: No Fire: No Pressure: No Reactivity: No (Pure / Solid)

Australian Hazchem Code: None allocated.

Poison Schedule: None allocated.

**WHMIS:** 

This MSDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

## 16. Other Information

**NFPA Ratings:** Health: **0** Flammability: **0** Reactivity: **0** 

**Label Hazard Warning:** 

As part of good industrial and personal hygiene and safety procedure, avoid all unnecessary exposure to the chemical substance and ensure prompt removal from skin, eyes and clothing.

**Label Precautions:** 

None.

**Label First Aid:** 

Not applicable.

**Product Use:** 

Laboratory Reagent.

**Revision Information:** 

MSDS Section(s) changed since last revision of document include: 8.

**Disclaimer:** 

\*

\*\*\*\*\*\*\*\*\*

Mallinckrodt Baker, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. MALLINCKRODT BAKER, INC. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION

# REFERS. ACCORDINGLY, MALLINCKRODT BAKER, INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS INFORMATION.

\*

\*\*\*\*\*\*\*\*

**Prepared by:** Environmental Health & Safety Phone Number: (314) 654-1600 (U.S.A.)