

SECTION I

MATERIAL SAFETY DATA SHEET ISOPROPYL ALCOHOL - 91%

Revised: 12/18/13

PL Developments (Formerly Aaron Industries, Inc.)	
1874 Highway 72 West, P.O. Box 305	
Clinton, South Carolina 29325	
(800) 424-9300	
Isopropyl Alcohol	
Isopropyl Alcohol	
Pharmaceutical Preparation	
Medicament inside a glass, plastic, or metal container	
suitable for dispensing.	
May be over-packed in a cardboard or plastic container.	
Isopropyl Alcohol (CAS 67-63-0)	
Water	
PHYSICAL DATA	

Boiling Point: Vapor Pressure: Vapor Density (Air = 1): Specific Gravity: Percent Volatile by Volume: Evaporation Rate: Solubility in Water: Appearance and Odor: 82°C (Isopropyl Alcohol)
36mm Hg @ 25°C (Isopropyl Alcohol)
2.1 (Isopropyl Alcohol)
0.8191 - 0.8123
100%
Unknown
100%
Glass, metal, or plastic container, properly labeled.
Contents are clear and colorless and may have a characteristic alcoholic odor.



MATERIAL SAFETY DATA SHEET ISOPROPYL ALCOHOL - 91% Page 2

SECTION III	FIRE AND EXPLOSION HAZARD DATA
Flash Point:	16.1°C
Flammable Limits:	Lower 5.0 Upper 12.0
	Water, chemical, carbon dioxide, or other methods
Extinguishing Method:	
Special Fire Fighting Propositions	as required. Wear SCBA
Special Fire Fighting Precautions:	
Unusual Fire and Explosion Hazards:	Combustible liquid. Avoid heat, sparks, and open flame.
SECTION IV	HEALTH HAZARD DATA
Threshold Limit Value:	400 ppm (980 mg/m ³) – 500 ppm (1225 mg/m ³)
Effects of Over Exposure:	Unknown
Emergency First Aid Procedures:	If on the skin (including eyes, nose, or mouth), flush
	with water.
	If ingested, call a physician, pharmacist, or a Poison
	Control Center immediately.
SECTION V	REACTIVITY DATA
SECTION V Stability Conditions to Avoid:	REACTIVITY DATA Avoid excessive temperatures.
	Avoid excessive temperatures.
Stability Conditions to Avoid:	Avoid excessive temperatures. Keep away from open flames.
Stability Conditions to Avoid: Incompatibility: Hazardous Decomposition Products:	Avoid excessive temperatures. Keep away from open flames. None
Stability Conditions to Avoid: Incompatibility:	Avoid excessive temperatures. Keep away from open flames. None None
Stability Conditions to Avoid: Incompatibility: Hazardous Decomposition Products: Hazardous Polymerization:	Avoid excessive temperatures. Keep away from open flames. None None None
Stability Conditions to Avoid: Incompatibility: Hazardous Decomposition Products: Hazardous Polymerization: Conditions to Avoid:	Avoid excessive temperatures. Keep away from open flames. None None Keep away from open flames.
Stability Conditions to Avoid: Incompatibility: Hazardous Decomposition Products: Hazardous Polymerization: Conditions to Avoid: Materials and Conditions to	Avoid excessive temperatures. Keep away from open flames. None None Keep away from open flames. Caustics, amines, alkanolamines, aldehydes, strong
Stability Conditions to Avoid: Incompatibility: Hazardous Decomposition Products: Hazardous Polymerization: Conditions to Avoid: Materials and Conditions to	Avoid excessive temperatures. Keep away from open flames. None None Keep away from open flames.
Stability Conditions to Avoid: Incompatibility: Hazardous Decomposition Products: Hazardous Polymerization: Conditions to Avoid: Materials and Conditions to	Avoid excessive temperatures. Keep away from open flames. None None Keep away from open flames. Caustics, amines, alkanolamines, aldehydes, strong
Stability Conditions to Avoid: Incompatibility: Hazardous Decomposition Products: Hazardous Polymerization: Conditions to Avoid: Materials and Conditions to Avoid Completely	Avoid excessive temperatures. Keep away from open flames. None None None Keep away from open flames. Caustics, amines, alkanolamines, aldehydes, strong oxidizing agents, and chlorinated compounds.
Stability Conditions to Avoid: Incompatibility: Hazardous Decomposition Products: Hazardous Polymerization: Conditions to Avoid: Materials and Conditions to Avoid Completely SECTION VI	Avoid excessive temperatures. Keep away from open flames. None None Keep away from open flames. Caustics, amines, alkanolamines, aldehydes, strong oxidizing agents, and chlorinated compounds. SPILL OR LEAK PROCEDURE
Stability Conditions to Avoid: Incompatibility: Hazardous Decomposition Products: Hazardous Polymerization: Conditions to Avoid: Materials and Conditions to Avoid Completely <u>SECTION VI</u> Steps to be taken in case material	Avoid excessive temperatures. Keep away from open flames. None None Keep away from open flames. Caustics, amines, alkanolamines, aldehydes, strong oxidizing agents, and chlorinated compounds. SPILL OR LEAK PROCEDURE Clean up with damp cloth or moist sponge. Flush with



MATERIAL SAFETY DATA SHEET ISOPROPYL ALCOHOL -91% Page 3

SPECIAL PROTECTION INFORMATION	
None required	
Normal	
Recommended	
Recommended (Safety Glasses or Face Shield)	
None	
SPECIAL PRECAUTIONS	
Take care to avoid puncturing containers.	
Avoid excessive temperatures.	
Keep away from open flames.	

SECTION IX

OTHER INFORMATION

Keep this and all medication out of the reach of children.

	HMIS(USA)	NFPA(USA)	KEY	
Health	2	1	4 = Severe	
Flammability	3	3	3 = Serious	
Reactivity	0	0	2 = Moderate	
			1 = Slight	
Hazardous Materials Ider	0 = Minimal			
National Fire Protection Agency (NFPA)				

This information herein is furnished without warranty of any kind. This information should be used only as a supplement to information already in your possession concerning this product. The determination of whether or under what conditions this product should be used by you or your employees is yours to make.