

RP 34 ALUMINUM POWDER

1. Product and company identification

Synonym Material uses MSDS #	RP 34 ALUMINUM POWDER Aluminium Conductive agents 00066545
Validation date Print date	: 9/8/2011. : 9/8/2011.
Supplier/Manufacturer	: Huntsman Advanced Materials Americas LLC P.O. Box 4980 The Woodlands, TX 77387 Non-Emergency phone: (800) 257-5547 E-Mail: MSDS@huntsman.com

In case of emergency

: Chemtrec: (800) 424-9300 or (703) 527-3887

2. Hazards identification

Physical state	: Solid.
Color	: Gray.
OSHA/HCS status	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Emergency overview	: WARNING! COMBUSTIBLE SOLID. CAUSES SKIN IRRITATION.
	Combustible solid. Combustible material. Keep away from heat, sparks and flame. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Wash thoroughly after handling.
See toxicological information	tion (Section 11)

GENERAL INFORMATION

: Read the entire MSDS for a more thorough evaluation of the hazards.

3. Composition/information on ingredients

Name	<u>CAS number</u>	<u>%</u>
Aluminium	7429-90-5	60 - 100

4. First aid measures

Eye contact	Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.
Skin contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.



4. First aid measures				
Inhalation	: Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.			
Ingestion	: Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.			
Notes to physician	: No specific treatment. Treat symptomatically. Call medical doctor or poison control center immediately if large quantities have been ingested.			

5. Fire-fighting measures

Flash point Hazardous thermal decomposition products	 Not available. Decomposition products may include the following materials: metal oxide/oxides
Extinguishing media	
Suitable	: Use dry chemical, CO ₂ , water spray (fog) or foam.
Not suitable	: Do not use water jet.
Special exposure hazards	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods for cleaning up	:	Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

7. Handling and storage

Handling

: Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not ingest. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material



7. Handling and storage

handling) equipment. Use non-sparking tools. Empty containers retain product residue and can be hazardous. Do not reuse container.

Storage : Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

Ingredient	Exposure limits			
aluminium	OSHA PEL (United States, 6/2010). TWA: 5 mg/m ³ , (as Al) 8 hour(s). Form: Respirable fraction TWA: 15 mg/m ³ , (as Al) 8 hour(s). Form: Total dust ACGIH TLV (United States, 2/2010). TWA: 1 mg/m ³ 8 hour(s). Form: Respirable fraction			
Recommended monitoring procedures	: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.			
Engineering measures	Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.			
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.			
Personal protection				
Respiratory	: In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.			
Hands	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.			
Eyes	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.			
Skin	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.			
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.			



9/8/2011.

9. Physical and chemical properties

General information	
Appearance	
Physical state	: Solid.
Color	: Gray.
Odor	: Not available.
Important health, safety and	environmental information
рН	: Not available.
Boiling/condensation point	: Not available.
Melting/freezing point	: Not available.
Flash point	: Not available.
Flammable limits	: Not available.
Auto-ignition temperature	: Not available.
Vapor pressure	: Not available.
Specific gravity	: 1
Water solubility	: Insoluble
Partition coefficient: n- octanol/water (log Kow)	: Not available.
Density	: Not available.
Vapor density	: Not available.
Evaporation rate (butyl acetate = 1)	: Not available.
VOC	: Not available.

10. Stability and reactivity

Chemical stability	: The product is stable. Under normal conditions of storage and use, hazardous reactions will not occur.
Hazardous polymerization	: Under normal conditions of storage and use, hazardous polymerization will not occur.
Conditions to avoid	: Avoid all possible sources of ignition (spark or flame).
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological information

Potential acute health effect	<u>s</u>									
Inhalation	: N	lo known significar	nt effects or o	critical hazard	ls.					
Ingestion	: N	lo known significar	known significant effects or critical hazards.							
Skin	: Ir	ritating to skin.								
Eyes	: N	lo known significar	nt effects or o	critical hazaro	ls.					
Carcinogenic class										
Product/ingredient name			IARC	EPA	NIOSH	NTP	OSHA			
Aluminium		A4	-	-	-	-	-			



Potential chronic health effects

11. Toxicological information

Chronic effects	1	No known significant effects or critical hazards.	
Target organs	:	Not available.	
Carcinogenicity	1	No known significant effects or critical hazards.	
Mutagenicity Teratogenicity	1	No known significant effects or critical hazards. No known significant effects or critical hazards.	
Fertility effects	1	No known significant effects or critical hazards.	
Developmental effects	:	No known significant effects or critical hazards.	
Medical conditions aggravated by over- exposure			

None known.

12. Ecological information

Environmental effects Aquatic ecotoxicity Biodegradability	: No known significant effects or critical hazards.
	Not Determined Not Determined
Other adverse effects PBT Other information	No known significant effects or critical hazards.Not applicable.

13. Disposal considerations

Waste disposal	: The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues.
	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. Transport information

Proper shipping name

DOT : TDG : IMDG : Not regulated. IATA : Not regulated.



14. Transport information

Regulatory information	UN number	Classes	PG*	Label	Additional information
DOT Classification	Not available.	-	-		-
TDG Classification	Not available.	-	-		-
IMDG Class	Not regulated.	-	-		Emergency schedules (EmS)
IATA-DGR Class	Not regulated.	-	-		-

PG* : Packing group

15. Regulatory information

U.S. Federal regulations		
HCS Classification		Irritating material
U.S. Federal regulations	÷	United States inventory (TSCA 8b): This material is listed or exempted.
TSCA 5(a)2 final significant new use rule (SNUR)	1	None.
TSCA 5(e) substance consent order	:	None.
TSCA 12(b) one-time export notification:	:	None.
TSCA 12(b) annual export notification	:	None.
SARA 302/304/311/312 extremely hazardous substances	:	SARA 302/304/311/312 extremely hazardous substances: No Ingredient Listed
SARA 311/312 hazard identification	:	SARA 311/312 MSDS distribution - chemical inventory - hazard identification: aluminium: Fire hazard, reactive
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Product name No Ingredients Listed.CAS numberConcentration
Clean Air Act - Ozone Depleting Substances (ODS)	:	This product does not contain nor is it manufactured with ozone depleting substances.
SARA 313		No ingredients listed.

CERCLA: Hazardous substances: No ingredients listed. STATE REGULATIONS: PENNSYLVANIA - RTK: This material is not listed. California Prop 65 :

15. Regulatory information

This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute.

<u>Canada</u>

WHMIS (Canada)	: Not controlled under WHMIS (Canada).
CEPA DSL	: This material is listed or exempted.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

International lists : Australia inventory (AICS): This material is listed or exempted. China inventory (IECSC): This material is listed or exempted. Japan inventory: This material is listed or exempted. Korea inventory: This material is listed or exempted. New Zealand Inventory of Chemicals (NZIoC): Not determined. Philippines inventory (PICCS): This material is listed or exempted.

16. Other information

Label requirements	: COMBUSTIBLE SOLID. CAUSES SKIN IRRITATION.		
Hazardous Material Information System (U.S.A.)	:		
	Health	1	
	Flammability	1	
	Physical hazards	1	
	Personal protection		

The customer is responsible for determining the PPE code for this material.



Indicates information that has changed from previously issued version.

Notice to reader

While the information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

9/8/2011.

00066545

16. Other information

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE. NO PART OF THIS DATA SHEET MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM, OR BY ANY MEANS, WITHOUT PERMISSION IN WRITING FROM HUNTSMAN. ALL REQUESTS FOR PERMISSION TO REPRODUCE MATERIAL FROM THIS DATA SHEET SHOULD BE DIRECTED TO HUNTSMAN, MANAGER, PRODUCT SAFETY AT THE ABOVE ADDRESS.

