

Version 1.1

Revision Date 08/05/2015

Print Date 04/21/2017

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP BIG ORANGE-E QT
Material number	:	00000000000048500
Manufacturer or supplier's d	eta	ils
Company	:	Zep Inc.
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318
Telephone	:	404-352-1680

Emergency telephone numbers		
For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded. In the District of Columbia 202-483-7616

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Colour	clear, orange
Odour	strong

GHS Classification

Flammable liquids Skin irritation Eye irritation Skin sensitisation Aspiration hazard	 Category 4 Category 2 Category 2A Category 1 Category 1
GHS Label element	
Hazard pictograms	
Signal word	: Danger
Hazard statements	 H227 Combustible liquid. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.
Precautionary statements	: Prevention: P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.



sion 1.1	Revision Date 08/05/2015	Print Date 04/21/2017
sion 1.1	 P264 Wash skin thoroughly after P272 Contaminated work clothing the workplace. P280 Wear protective gloves/ eye Response: P301 + P310 IF SWALLOWED: I CENTER or doctor/ physician. P302 + P352 IF ON SKIN: Wash P305 + P351 + P338 IF IN EYES for several minutes. Remove comeasy to do. Continue rinsing. P331 Do NOT induce vomiting. P333 + P313 If skin irritation or raadvice/ attention. P337 + P313 If eye irritation persattention. P362 Take off contaminated cloth P370 + P378 In case of fire: Use 	handling. g should not be allowed out of e protection/ face protection. mmediately call a POISON with plenty of soap and wate ash occurs: Get medical ists: Get medical advice/ hing and wash before reuse. dry sand, dry chemical or
	alcohol-resistant foam for extincti Storage: P403 + P235 Store in a well-venti P405 Store locked up. Disposal: Dispose of contents/container in	lated place. Keep cool.
Potential Health Effects	regulation.	
Carcinogenicity:		
IARC	No component of this product presen equal to 0.1% is identified as probabl human carcinogen by IARC.	
ACGIH	No component of this product presen equal to 0.1% is identified as a carcir carcinogen by ACGIH.	
OSHA	No component of this product presen equal to 0.1% is identified as a carcir carcinogen by OSHA.	
NTP	No component of this product presen	t at lovels greater than or

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
Distillates (petroleum), hydrotreated light	64742-47-8	>= 50 - < 70
Citrus, ext.	94266-47-4	>= 30 - < 50
4-Nonylphenol branched, ethoxylated	127087-87-0	>= 1 - < 5
Nonylphenol, ethoxylated	9016-45-9	>= 1 - < 5



Version 1.1



Print Date 04/21/2017

SECTION 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later. Do not leave the victim unattended.
If inhaled	 If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	 If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	 Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	 Clean mouth with water and drink afterwards plenty of water. Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Dry chemical Water spray Foam
Unsuitable extinguishing media	: High volume water jet
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products Specific extinguishing methods	: Carbon dioxide (CO2) Carbon monoxide Smoke :
methods	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	 Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. For safety reasons in case of fire, cans should be stored separately in closed containments.



ZEP BIG ORANGE-E QT

Version 1.1	Revision Date 08/05/2015	Print Date 04/21/2017
	Use a water spray to cool fully clos	ed containers.
Special protective equipment for firefighters	: Wear self-contained breathing appa necessary.	aratus for firefighting if

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	 Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Material can create slippery conditions.
Environmental precautions	 Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	 Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly while observing environmental regulations.
	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Avoid formation of aerosol. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Conditions for safe storage	 No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	: Keep away from oxidizing agents and strongly acid or alkaline



ZEP BIG ORANGE-E QT

Version 1.1

Revision Date 08/05/2015

Print Date 04/21/2017

materials.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible	Basis
Distillates (petroleum), hydrotreated light	64742-47-8	TWA	concentration 500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600 mg/m3	OSHA P0

Personal protective equipment

Respiratory protection	:	No personal respiratory protective equipment normally required.
Hand protection		
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Protective measures	:	Wear suitable protective equipment. When using do not eat, drink or smoke.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: clear, orange
Odour	: strong
Odour Threshold	: No data available
рН	: 6.5 - 7.0
Melting point/freezing point	: No data available
Boiling point	: 170 °C



ZEP BIG ORANGE-E QT

ersion 1.1	Revision Date 08/05/2015	Print Date 04/21/2017
Flash point	: 62.8 °C Method: closed cup	
Evaporation rate	: No data available	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: 1.333 hPa	
Relative vapour density	: No data available	
Density	: 0.826 g/cm3	
Solubility(ies)		
Water solubility	: emulsifiable	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: 5.3 mm2/s (20 °C)	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Strong oxidizing agents
Hazardous decomposition products	: Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:	
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method



Version 1.1

Print Date 04/21/2017

Components:

Distillates (petroleum), hydrotreated light:

u <i>1. j</i>	5
Acute oral toxicity	: LD50 Rat: > 5,000 mg/kg
Acute inhalation toxicity	: LC50 Rat: > 4.6 mg/l Exposure time: 6 h
Acute dermal toxicity	: LD50 Rat: > 2,000 mg/kg
4-Nonylphenol branched, eth	noxylated:
Acute oral toxicity	: LD50 Rat: 5,000 mg/kg
Acute dermal toxicity	: LD50 Rabbit: 2,573 mg/kg

Skin corrosion/irritation

Product:

Remarks: May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Product:

Remarks: May irritate eyes.

Remarks: May cause irreversible eye damage.

Respiratory or skin sensitisation

Product:

Remarks: Causes sensitisation.

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Distillates (petroleum), hydrotreated light: Citrus, ext.: 4-Nonylphenol branched, ethoxylated: Nonylphenol, ethoxylated:

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

ZEP BIG ORANGE-E QT

Version 1.1

Revision Date 08/05/2015



Print Date 04/21/2017

No data available

Further information

Product:

Remarks: Solvents may degrease the skin.

Components:

Distillates (petroleum), hydrotreated light: Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available	
Bioaccumulative po	otential

Product:

Flouuci.	
Partition coefficient: n- octanol/water	: Remarks: No data available
Mobility in soil	
No data available	
Other adverse effects	
No data available Product:	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Very toxic to aquatic life.
<u>Components:</u> Distillates (petroleum), hydro	treated light :

Additional ecological	No data available	
information		



Version 1.1



Print Date 04/21/2017

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Dispose of in accordance with local regulations.
	The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Cargo Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Passenger Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Fire Hazard

Acute Health Hazard



ZEP BIG ORANGE-E QT

rsion 1.1	Revision Date 08/05/2015	Print Date 04/21/2017
SARA 302	: No chemicals in this material are sub requirements of SARA Title III, Section	
SARA 313	: This material does not contain any ch known CAS numbers that exceed the reporting levels established by SARA	e threshold (De Minimis)
California Prop 65	This product does not contain any ch California to cause cancer, birth defe reproductive harm.	
The components of	this product are reported in the following inv	entories:
TSCA	On TSCA Inventory	
DSL	All components of this product are on the Car	hadian DSL

ISCA	On ISCA Inventory
DSL	All components of this product are on the Canadian DSL
AICS	Not in compliance with the inventory
NZIOC	Not in compliance with the inventory
PICCS	Not in compliance with the inventory
IECSC	Not in compliance with the inventory

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION



OSHA GHS Label Information:

Hazard pictograms	
Signal w ord	: Danger:
Hazard statements	: Combustible liquid. May be fatal if sw allowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.
Precautionary statements	:
	Prevention: Keep aw ay from heat/sparks/open flames/hot surfaces. No smoking. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling.



Version 1.1	Revision Date 08/05/2015	Print Date 04/21/2017
	Contaminated w ork clothing should not be allow ed out or protective gloves/ eye protection/ face protection. Response: IF SWALLOWED: Immediately call a POISO physician. IF ON SKIN: Wash with plenty of soap and w cautiously with water for several minutes. Remove cont to do. Continue rinsing. Do NOT induce vomiting. If skir medical advice/ attention. If eye irritation persists: Get n off contaminated clothing and w ash before reuse. In ca chemical or alcohol-resistant foam for extinction. Stor age : Store in a w ell-ventilated place. Keep cool. St Disposal: Dispose of contents/container in accordance	DN CENTER or doctor/ vater. IF IN EYES: Rinse act lenses, if present and easy n irritation or rash occurs: Get nedical advice/attention. Take se of fire: Use dry sand, dry ore locked up.

Version:	1.1
Revision Date:	08/05/2015
Print Date:	04/21/2017

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.