


# Material Safety Data Sheet

Sodium bisulfate, anhydrous, technical grade



## 1. Product and company identification

<b>Product name</b>	: Sodium bisulfate, anhydrous, technical grade
<b>Synonym</b>	: Nitre cake, GBS
<b>Material uses</b>	: Cleaning compounds, pH adjustment. <i>Not approved for use in food or animal feed.</i>
<b>Supplier/Manufacturer</b>	: Jones Hamilton 30354 Tracy Road Walbridge, OHIO, 43465 Tel: (419) 666-9838 Fax: (419) 666-1817
<b>Code</b>	: SBSCUN01
<b>MSDS authored by</b>	: KMK Regulatory Services inc.
<b>In case of emergency</b>	: CHEMTREC, U.S. : (800) 424-9300 International: (703) 527-3887
<b>Product type</b>	: Solid.

## 2. Hazards identification

### Emergency overview

<b>Color</b>	: Off-white.
<b>Physical state</b>	: Dry (Anhydrous) crystalline solid spherical shape beads.
<b>Odor</b>	: Fresh to pungent.
<b>Signal word</b>	: WARNING!
<b>Hazard statements</b>	: Causes serious eye irritation. May cause respiratory irritation. May be harmful if swallowed.
<b>Precautions</b>	: Do not get in eyes. Avoid contact with skin and clothing. Use only with adequate ventilation. Keep container tightly closed and sealed until ready for use. Wash thoroughly after handling. Material is non-flammable. Use extinguishing media suitable for surrounding materials.
<b>OSHA/HCS status</b>	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

### Potential acute health effects

<b>Inhalation</b>	: Inhalation of dust may irritate nose, throat and/or lungs.
<b>Ingestion</b>	: Small amounts (tablespoonful) swallowed are not likely to cause injury; however, swallowing large amounts may irritate or burn digestive tract.
<b>Skin</b>	: Prolonged exposure may cause skin irritation.
<b>Eyes</b>	: Causes serious eye irritation.

### Potential chronic health effects

<b>Chronic effects</b>	: Contains material that may cause target organ damage, based on animal data.
<b>Carcinogenicity</b>	: No known significant effects or critical hazards.
<b>Mutagenicity</b>	: No known significant effects or critical hazards.
<b>Teratogenicity</b>	: No known significant effects or critical hazards.
<b>Developmental effects</b>	: No known significant effects or critical hazards.
<b>Fertility effects</b>	: No known significant effects or critical hazards.
<b>Target organs</b>	: Contains material which may cause damage to the following organs: mucous membranes, skin, eyes.

### Over-exposure signs/symptoms

<b>Inhalation</b>	: Adverse symptoms may include the following: respiratory tract irritation coughing
<b>Ingestion</b>	: No specific data.
<b>Skin</b>	: No specific data.

## 2. Hazards identification

- Eyes** : Adverse symptoms may include the following:  
pain or irritation  
watering  
redness
- Medical conditions aggravated by over-exposure** : Pre-existing disorders involving any target organs mentioned in this MSDS as being at risk may be aggravated by over-exposure to this product.

See toxicological information (section 11)

## 3. Composition/information on ingredients

### United States

Name	CAS number	%
Sodium bisulfate	7681-38-1	>90

### Canada

Name	CAS number	%
Sodium bisulfate	7681-38-1	>90

### Mexico

Name	UN number	IDLH	H	F	R	Special	CAS number	%
Sodium bisulfate	Not regulated.	-	1	0	0		7681-38-1	>90

### Classification

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

## 4. First aid measures

- Eye contact** : Immediately flush eyes with plenty of water for at least 20 minutes, occasionally lifting the upper and lower eyelids. If redness or irritation persists, get prompt medical attention.
- Skin contact** : In case of contact, immediately flush skin with plenty of water for at least 20 minutes. If skin irritation occurs, seek medical attention.
- Inhalation** : Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. If irritation or discomfort persists, seek medical attention.
- Ingestion** : Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Call medical doctor or poison control center immediately.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

## 5. Fire-fighting measures

- Flammability of the product** : No specific fire or explosion hazard.

### Extinguishing media

- Suitable** : Use an extinguishing agent suitable for the surrounding fire.
- Not suitable** : None known.
- Special exposure hazards** : None known.
- Hazardous thermal decomposition products** : Decomposition products may include the following materials:  
sulfur oxides
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## 6. Accidental release measures

- Personal precautions** : Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
- Small spill** : Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

## 7. Handling and storage

- Handling** : Put on appropriate personal protective equipment (see section 8). Avoid breathing dusts. Wash thoroughly after handling.
- Storage** : Material is hygroscopic and will readily absorb moisture. DO NOT store dry product where exposed to moist conditions. Keep container tightly closed.

## 8. Exposure controls/personal protection

### Canada

Occupational exposure limits		TWA (8 hours)			STEL (15 mins)			Ceiling			
Ingredient	List name	ppm	mg/m <sup>3</sup>	Other	ppm	mg/m <sup>3</sup>	Other	ppm	mg/m <sup>3</sup>	Other	Notations
No known value.											

### Consult local authorities for acceptable exposure limits.

- Recommended monitoring procedures** : Personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.
- Engineering measures** : Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits.
- Hygiene measures** : Ensure that eyewash stations and safety showers are close to the workstation location. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

### Personal protection

- Respiratory** : In dusty atmospheres (>10 mg/m<sup>3</sup>), use a NIOSH-approved dust respirator.
- Hands** : Rubber gloves.
- Eyes** : Safety glasses or chemical goggles.
- Skin** : Cotton-blend coveralls.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## 9. Physical and chemical properties

<b>Physical state</b>	: Dry (Anhydrous) crystalline solid spherical shape beads.
<b>Color</b>	: Off-white.
<b>Odor</b>	: Fresh to pungent.
<b>Molecular weight</b>	: 120
<b>Molecular formula</b>	: NaHSO <sub>4</sub>
<b>pH</b>	: <1 [Conc. (% w/w): 5%]
<b>Melting/freezing point</b>	: 177°C (350.6°F)
<b>Specific gravity</b>	: 1.28 g/cm <sup>3</sup>
<b>Solubility</b>	: Partially soluble in the following materials: cold water and hot water.

## 10. Stability and reactivity

<b>Chemical stability</b>	: The product is stable.
<b>Conditions to avoid</b>	: DO NOT store dry product where exposed to moist conditions.
<b>Materials to avoid</b>	: Reactive or incompatible with the following materials: oxidizing materials, acids and alkalis. DO NOT MIX dry or concentrated solutions of this product with concentrated solutions of chlorine bleach, ammonia cleansers or similar products.
<b>Hazardous decomposition products</b>	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
<b>Possibility of hazardous reactions</b>	: Under normal conditions of storage and use, hazardous reactions will not occur.
<b>Hazardous polymerization</b>	: Under normal conditions of storage and use, hazardous polymerization will not occur.

## 11. Toxicological information

### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Sodium bisulfate	LD50 Oral	Rat	2800 mg/kg	-

<b>Chronic toxicity</b>	: No specific data.
-------------------------	---------------------

## 12. Ecological information

<b>Environmental effects</b>	: This product readily dissolves in water to form a weak acid solution. A 0.05 percent or greater (by weight) solution of this product will likely be acutely harmful to aquatic life.
<b>Other adverse effects</b>	: No known significant effects or critical hazards.

## 13. Disposal considerations

<b>Waste disposal</b>	: The generation of waste should be avoided or minimized wherever possible. This material and its container must be disposed of in a safe way. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Empty containers or liners may retain some product residues. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.
-----------------------	--

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

## 14 . Transport information

DOT/TDG/MXT/IMDG/IATA : Not regulated.

## 15 . Regulatory information

### United States

**HCS Classification** : Irritating material

**U.S. Federal regulations** : **United States inventory (TSCA 8b):** All components are listed or exempted.

**SARA 302/304/311/312 extremely hazardous substances:** No products were found.

**SARA 302/304 emergency planning and notification:** No products were found.

**SARA 302/304/311/312 hazardous chemicals:** Sodium bisulfate

**SARA 311/312 MSDS distribution - chemical inventory - hazard identification:**

Sodium bisulfate: Immediate (acute) health hazard, Delayed (chronic) health hazard

**Clean Water Act (CWA) 307:** No products were found.

**Clean Water Act (CWA) 311:** No products were found.

**Clean Air Act (CAA) 112 accidental release prevention:** No products were found.

**Clean Air Act (CAA) 112 regulated flammable substances:** No products were found.

**Clean Air Act (CAA) 112 regulated toxic substances:** No products were found.

**Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)** : Not listed

**Clean Air Act Section 602 Class I Substances** : Not listed

**Clean Air Act Section 602 Class II Substances** : Not listed

**DEA List I Chemicals (Precursor Chemicals)** : Not listed

**DEA List II Chemicals (Essential Chemicals)** : Not listed

**State regulations** :

- Connecticut Carcinogen Reporting:** None of the components are listed.
- Connecticut Hazardous Material Survey:** None of the components are listed.
- Florida substances:** None of the components are listed.
- Illinois Chemical Safety Act:** None of the components are listed.
- Illinois Toxic Substances Disclosure to Employee Act:** None of the components are listed.
- Louisiana Reporting:** None of the components are listed.
- Louisiana Spill:** None of the components are listed.
- Massachusetts Spill:** None of the components are listed.
- Massachusetts Substances:** None of the components are listed.
- Michigan Critical Material:** None of the components are listed.
- Minnesota Hazardous Substances:** None of the components are listed.
- New Jersey Hazardous Substances:** The following components are listed: Sodium bisulfate
- New Jersey Spill:** None of the components are listed.
- New Jersey Toxic Catastrophe Prevention Act:** None of the components are listed.
- New York Acutely Hazardous Substances:** None of the components are listed.
- New York Toxic Chemical Release Reporting:** None of the components are listed.
- Pennsylvania RTK Hazardous Substances:** None of the components are listed.
- Rhode Island Hazardous Substances:** None of the components are listed.

### Canada

**WHMIS (Canada)** : Class D-2B: Material causing other toxic effects (Toxic).

## 15 . Regulatory information

**Canadian lists** : **CEPA Toxic substances:** None of the components are listed.  
**Canadian ARET:** None of the components are listed.  
**Canadian NPRI:** None of the components are listed.  
**Alberta Designated Substances:** None of the components are listed.  
**Ontario Designated Substances:** None of the components are listed.  
**Quebec Designated Substances:** None of the components are listed.

**Canada inventory** : All components are listed or exempted.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

### Mexico

**Classification** :



### International regulations

**International lists** : **Australia inventory (AICS):** All components are listed or exempted.  
**China inventory (IECSC):** All components are listed or exempted.  
**Japan inventory:** All components are listed or exempted.  
**Korea inventory:** All components are listed or exempted.  
**New Zealand Inventory of Chemicals (NZIoC):** All components are listed or exempted.  
**Philippines inventory (PICCS):** All components are listed or exempted.

**Chemical Weapons Convention List Schedule I Chemicals** : Not listed

**Chemical Weapons Convention List Schedule II Chemicals** : Not listed

**Chemical Weapons Convention List Schedule III Chemicals** : Not listed

## 16 . Other information

### United States

**Label requirements** : Warning - Causes serious eye irritation. May cause respiratory irritation. May be harmful if swallowed. Wear protective gloves and eye/face protection. Avoid breathing dust. Wash thoroughly after handling.

**Hazardous Material Information System (U.S.A.)** :


Health	1
Flammability	0
Physical hazards	0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

## 16 . Other information

National Fire Protection :  
Association (U.S.A.)



### Canada

WHMIS (Canada) :



Date of issue (mm/dd/yyyy) : 06/15/2009

Date of previous issue : 04/15/2009

Version : 1.2

### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.